NSN 5307-00-756-9246

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-756-9246 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.600 inches nut thread **Shoulder Length:** 0.260 inches **Overall Length:** 5.370 inches **Nut End Shank Length:** 0.125 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 0.145 inches first hole **Cotter Pin Hole Diameter:** 0.068 inches first hole **Distance Across Flats:** 0.621 inches Thready Qty Per Inch (tpi): 24 nut thread **Thread Size:** 0.438 inches stud thread **Nut End Shank Diameter:** 0.365 inches **Special Features:** Oversized shank 0.4470 in. Min, 0.4474 in. Maximum diameter by 0.660 in. Lg, 0.125 in. From bearing surface of hexagon Material: Steel comp 8740 **Material Specification:** Ams6322 assn standard single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416 type 1, cl 2 federal specification single treatment response **Style Designator:** Shouldered and stepped **Thread Series Designator:** Unf stud thread Shelf Life: N/a

--

Unit Of Measure:

NSN 5307-00-756-9246

Shouldered And Stepped Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0