## NSN 5307-00-799-2251



Shouldered Stud - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5307-00-799-2251 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.740 inches nut thread and 0.760 inches nut thread **Shoulder Length:** Between 0.170 inches and 0.190 inches **Overall Length:** Between 1.618 inches and 1.698 inches **Nut End Shank Length:** 0.188 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 1.098 inches first hole and 1.138 inches first hole **Cotter Pin Hole Diameter:** 0.070 inches first hole **Distance Across Flats:** Between 0.430 inches and 0.439 inches Thready Qty Per Inch (tpi): 28 stud thread **Thread Size:** 0.250 inches stud thread **Surface Finish:** 63.0 microinches shoulder bearing surface

**Nut End Shank Diameter:** 

Between 0.246 inches and 0.249 inches

Material:

Steel comp 302

**Material Specification:** 

Ams 5637 assn standard single material response

**Precious Material And Location:** 

silver

**Precious Material:** 

Silver

**Surface Treatment:** 

Silver stud thd

Style Designator:

Shouldered

**Thread Series Designator:** 

Unf stud thread

Shelf Life:

N/a

## NSN 5307-00-799-2251

Shouldered Stud - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A051a0