## NSN 5307-00-816-4917

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-816-4917 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.382 inches stud thread and 0.397 inches stud thread **Locking Feature:** Any acceptable **Shoulder Diameter:** Between 0.289 inches and 0.294 inches **Shoulder Length:** Between 0.045 inches and 0.050 inches **Overall Length:** Between 1.167 inches and 1.207 inches **Distance From Shoulder Portion To Nut End:** Between 0.740 inches and 0.760 inches Thready Qty Per Inch (tpi): 28 nut thread **Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.375 inches stud thread Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 1, cl c federal specification single treatment response **Style Designator:** Locked in **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig: A051a0

## NSN 5307-00-816-4917

Locked In Stud - Page 2 of 2



Mil-std (military Standard):

Mil-s-6758 spec.