NSN 5307-00-837-7200

Shouldered Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-837-7200

Thread Class: 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.430 inches nut thread and 0.435 inches nut thread Shoulder Diameter: 0.625 inches **Shoulder Length:** Between 0.870 inches and 0.875 inches **Overall Length:** 3.500 inches **Nut End Shank Length:** Between 0.815 inches and 0.820 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 0.119 inches first hole **Cotter Pin Hole Diameter:** 0.075 inches first hole and 0.078 inches first hole Thready Qty Per Inch (tpi): 24 stud thread **Thread Size:** 0.312 inches stud thread **Stud End Shank Diameter:** Between 0.373 inches and 0.374 inches **Surface Finish:** 125.0 microinches **Nut End Shank Diameter:** Between 0.373 inches and 0.374 inches Material: Steel **Material Specification:** Mil-s-7108 military specification single material response **Surface Treatment:** Cadmium **Style Designator:** Shouldered **Thread Series Designator:** Unf stud thread Shelf Life: N/a

--

Unit Of Measure:

NSN 5307-00-837-7200

Shouldered Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0

Mil-std (military Standard):

Mil-s-7108 spec.