Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-905-5115

Thread Class:
3a stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.960 inches stud thread and 0.970 inches stud thread
Shoulder Diameter:
Between 0.865 inches and 0.885 inches
Shoulder Length:
Between 0.095 inches and 0.105 inches
Overall Length:
2.100 inches
Nut End Shank Length:
Between 0.407 inches and 0.427 inches
Distance From Cotter Pin Hole Centerline To Nut End:
0.250 inches first hole
Cotter Pin Hole Diameter:
0.076 inches first hole and 0.086 inches first hole
Distance Across Flats:
Between 0.615 inches and 0.627 inches
Thready Qty Per Inch (tpi):
24 nut thread
Thread Size:
0.438 inches stud thread
Surface Finish:
125.0 microinches
Nut End Shank Diameter:
Between 0.310 inches and 0.312 inches
Special Features:
Two holes drilled through shoulder, 0.046 in. Dia, 180 degrees apart, on 0.687 in. Bolt circle dia
Material:
Steel
Material Specification:
Ams 5643 assn standard single material response
Style Designator:
Shouldered and stepped
Thread Series Designator:
Unf stud thread
Shelf Life:
N/a
Unit Of Measure:

Shouldered And Stepped Stud - Page 2 of 2

Demilitarization:

No

Fiig:

A051a0

