NSN 5307-00-944-2676

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-944-2676

view Offilite at https://aerobasegroup.com/nsii/3307-00-344-2070
Thread Class:
3a nut thread
Thread Pitch Diameters:
+0.3358/+0.3378 inches stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.810 inches nut thread
Locking Feature:
Ring, lock serrated
Overall Length:
1.790 inches
Distance From Serrated Portion To Nut End:
0.910 inches
Distance From Serrated Portion To Stud End:
0.880 inches
Distance From Serrated Portion To End Of Stud Thread:
0.180 inches
Distance From Cotter Pin Hole Centerline To Nut End:
0.160 inches first hole
Cotter Pin Hole Diameter:
0.076 inches first hole
Serration Quantity:
20
Thready Qty Per Inch (tpi):
24 stud thread
Thread Size:
0.312 inches stud thread
Product Name:
Navy special project
Material:
Steel comp 4130
Material Specification:
Mil-s-6758 military specification single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Style Designator:
Locked in
Thread Series Designator:

Uns stud thread

NSN 5307-00-944-2676

Locked In Stud - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-s-6758 spec.

Shelf Life: