NSN 5307-00-949-6553

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-949-6553 **Thread Class:** 3a nut thread **Thread Pitch Diameters:** +0.4052/+0.4067 inches stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.812 inches nut thread and 0.895 inches nut thread **Shoulder Diameter:** Between 0.445 inches and 0.455 inches **Shoulder Length:** Between 0.040 inches and 0.060 inches **Overall Length:** 2.250 inches **Nut End Shank Length:** Between 0.145 inches and 0.165 inches Thready Qty Per Inch (tpi): 24 nut thread **Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.438 inches stud thread **Stud End Shank Diameter:** 0.372 inches Material: Steel comp 8735 **Material Specification:** Ams 6320 assn standard single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Ams 2400 assn standard single treatment response **Style Designator:** Shouldered and stepped **Thread Series Designator:** Unf nut thread Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5307-00-949-6553

Shouldered And Stepped Stud - Page 2 of 2



Fiig:

A051a0