## NSN 5307-00-977-1761

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-977-1761 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.427 inches nut thread and 0.447 inches nut thread **Locking Feature:** Key inserts **Shoulder Diameter:** Between 0.180 inches and 0.190 inches **Shoulder Length:** Between 0.032 inches and 0.042 inches **Overall Length:** Between 0.729 inches and 0.769 inches **Distance From Shoulder Portion To Nut End:** Between 0.427 inches and 0.447 inches Thready Qty Per Inch (tpi): 32 nut thread **Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.250 inches stud thread Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification single treatment response **Style Designator:** Locked in **Thread Series Designator:** Unf nut thread Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No Fiig: A051a0

## NSN 5307-00-977-1761

Locked In Stud - Page 2 of 2



Mil-std (military Standard):

Mil-s-6758 spec.