## NSN 5307-01-010-2737

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-010-2737 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.490 inches nut thread and 0.510 inches nut thread **Locking Feature:** Ring, lock keyed **Shoulder Length:** Between 0.040 inches and 0.050 inches **Overall Length:** 0.935 inches **Distance From Shoulder Portion To Nut End:** Between 0.545 inches and 0.575 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 0.145 inches first hole and 0.175 inches first hole **Cotter Pin Hole Diameter:** 0.071 inches first hole and 0.081 inches first hole Thready Qty Per Inch (tpi): 28 nut thread **Thread Size:** 0.312 inches stud thread Surface Finish: 125.0 microinches **Product Name:** Stud, locked in Material: Steel comp e4340 or steel comp 4340 **Material Specification:** Mil-s-5000 military specification all material responses **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416 federal specification single treatment response **Style Designator:** Locked in **Thread Series Designator:** Unf nut thread Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5307-01-010-2737

Locked In Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0

Mil-std (military Standard):

Mil-s-5000 spec.