## NSN 5307-01-050-1585

Continuous Thread Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-01-050-1585

Thread Direction: Right-hand Overall Length: 7.500 inches Features Provided: Casehardened Thready Qty Per Inch (tpi): 8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No	Thre	ad Class:
Right-hand Overall Length: 7.500 inches Features Provided: Casehardened Thready Qty Per Inch (tpi): 8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Filg: A051a0	2a	
Overall Length:         7.500 inches         Features Provided:         Casehardened         Thready Qty Per Inch (tpi):         8         Hardness Rating:         Between 25.0 rockwell c and 34.0 rockwell c         Thread Size:         1.250 inches         Criticality Code Justification:         Zzzw         Material:         Steel         Thread Series Designator:         Un         Departure From Cited Document:         Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items         Shelf Life:         N/a         Unit Of Measure:            Demilitarization:         No         Fig:         A051a0	Thre	ad Direction:
7.500 inches Features Provided: Casehardened Thready Qty Per Inch (tpi): 8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Uni Of Measure:  Demilitarization: No Fig: A051a0	Right	t-hand
Features Provided:         Casehardened         Thready Qty Per Inch (tpi):         8         Hardness Rating:         Between 25.0 rockwell c and 34.0 rockwell c         Thread Size:         1.250 inches         Criticality Code Justification:         Zzzw         Material:         Steel         Thread Series Designator:         Un         Departure From Cited Document:         Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items         Shelf Life:         N/a         Unit Of Measure:            Demilitarization:         Na         Shelf Life:         Na         Data Series         Shelf Life:         Na         Diff Measure:            Demilitarization:         Na         Data Series         Na         Data Series         Data Series         Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items         Shelf Life:         Na         Data Series         Data Series	Over	rall Length:
Casehardened Thready Qty Per Inch (tpi): 8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Uni Cof Measure: Demilitarization: No Fig: A051a0	7.500	0 inches
Thready Qty Per Inch (tpi): 8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A051a0	Feat	ures Provided:
8 Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Case	ehardened
Hardness Rating: Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Zzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Thre	ady Qty Per Inch (tpi):
Between 25.0 rockwell c and 34.0 rockwell c Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A051a0	8	
Thread Size: 1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A051a0	Hard	Iness Rating:
1.250 inches Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Betw	reen 25.0 rockwell c and 34.0 rockwell c
Criticality Code Justification: Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Thre	ad Size:
Zzzw Material: Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A051a0	1.250	0 inches
Material:   Steel   Thread Series Designator:   Un   Departure From Cited Document:   Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items   Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fig:   A051a0	Critio	cality Code Justification:
Steel Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A051a0	Zzzw	/
Thread Series Designator: Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Mate	erial:
Un Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A051a0	Steel	I
Departure From Cited Document: Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig: A051a0	Thre	ad Series Designator:
Material controlled iaw navsea 0948-lp-045-7010 material control standard for level i items Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A051a0	Un	
Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig: A051a0	Depa	arture From Cited Document:
N/a Unit Of Measure:  Demilitarization: No Fiig: A051a0	Mate	rial controlled iaw navsea 0948-lp-045-7010 material control standard for level i items
Unit Of Measure:  Demilitarization: No Fiig: A051a0	Shel	f Life:
 Demilitarization: No Fiig: A051a0	N/a	
Demilitarization: No Fiig: A051a0	Unit	Of Measure:
No Fiig: A051a0		
Fiig: A051a0	Dem	ilitarization:
A051a0	No	
	Fiig:	
Mil-std (military Standard):	A051	a0
	Mil-s	std (military Standard):