## NSN 5307-01-094-0405

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-094-0405 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.440 inches nut thread **Locking Feature:** Ring, lock serrated **Overall Length:** 1.128 inches **Distance From Serrated Portion To Nut End:** Between 0.673 inches and 0.703 inches **Distance From Serrated Portion To Stud End:** Between 0.425 inches and 0.455 inches **Distance From Serrated Portion To End Of Stud Thread:** 0.130 inches Thready Qty Per Inch (tpi): 32 nut thread **Hardness Rating:** 26.0 rockwell c **Thread Size:** 0.250 inches stud thread Surface Finish: 125.0 microinches Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 2, cl 3 federal specification single treatment response **Style Designator:** Locked in **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5307-01-094-0405

Locked In Stud - Page 2 of 2



Fiig:

A051a0

Mil-std (military Standard):

Mil-s-6758 spec.