NSN 5307-01-203-2686

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-203-2686 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.375 inches stud thread and 0.405 inches stud thread **Locking Feature:** Ring, lock serrated **Overall Length:** Between 1.718 inches and 1.778 inches **Distance From Serrated Portion To Nut End:** Between 1.173 inches and 1.203 inches **Distance From Serrated Portion To Stud End:** Between 0.545 inches and 0.575 inches **Distance From Serrated Portion To End Of Stud Thread:** Between 0.140 inches and 0.200 inches **Serration Quantity:** 17 Thready Qty Per Inch (tpi): 28 nut thread Hardness Rating: 26.0 rockwell c **Thread Size:** 0.312 inches stud thread **Serration Included Angle:** Between 85.0 degrees and 88.0 degrees Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416 type 2 cl 3 federal specification all treatment responses **Style Designator:** Locked in **Thread Series Designator:** Unf nut thread Shelf Life: N/a

--

Unit Of Measure:

NSN 5307-01-203-2686

Locked In Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0

Mil-std (military Standard):

Mil-s-6758 spec.