

View Online at <https://aerobasegroup.com/nsn/5307-01-211-0770>

Thread Class:

3a nut thread

Thread Pitch Diameters:

+0.1639/+0.1654 inches stud thread

Thread Direction:

Right-hand stud thread

Thread Length:

0.395 inches nut thread and 0.425 inches nut thread

Locking Feature:

Ring, lock serrated

Overall Length:

Between 1.100 inches and 1.160 inches

Distance From Serrated Portion To Nut End:

Between 0.735 inches and 0.765 inches

Distance From Serrated Portion To Stud End:

Between 0.365 inches and 0.395 inches

Distance From Serrated Portion To End Of Stud Thread:

Between 0.120 inches and 0.180 inches

Thready Qty Per Inch (tpi):

32 nut thread

Hardness Rating:

26.0 rockwell c

Thread Size:

0.190 inches stud thread

Surface Finish:

32.0 microinches nut thd

Serration Included Angle:

90.0 degrees

Material:

Steel comp 4130

Material Specification:

Mil-s-6758 military specification single material response

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2 class 3 federal specification single treatment response

Style Designator:

Locked in

Thread Series Designator:

Unc stud thread

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A051a0

Mil-std (military Standard):

Mil-s-6758 spec.