NSN 5307-01-214-2730

Shouldered Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-01-214-2730 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.685 inches and 0.725 inches stud thread Shoulder Diameter: Between 0.643 inches and 0.647 inches **Shoulder Length:** Between 0.052 inches and 0.057 inches **Overall Length:** Between 1.960 inches and 2.000 inches **Nut End Shank Length:** Between 0.050 inches and 0.060 inches Thready Qty Per Inch (tpi): 24 stud thread **Thread Size:** 0.3125 inches nut thread Stud End Shank Length: Between 0.075 inches and 0.095 inches Stud End Shank Diameter: Between 0.310 inches and 0.314 inches **Nut End Shank Diameter:** Between 0.319 inches and 0.320 inches **Special Features:** Hex shaped hole on stud end 0.156 in. Min and 0.158 in. Maximum across flats; 0.240 in. Maximum dp Material: Nickel alloy 718 **Material Specification:** C50tf13 cl-b, fscm 07482 mfr ref single material response **Style Designator:** Shouldered **Thread Series Designator:** Unif stud thread Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A051a0