## NSN 5307-01-315-3227

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-315-3227 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 1.310 inches nut thread **Shoulder Diameter:** 2.570 inches **Shoulder Length:** 0.200 inches **Overall Length:** 3.565 inches **Nut End Shank Length:** 0.730 inches **End Application:** Lan targeting pod/pylon/f15 Thready Qty Per Inch (tpi): 16 nut thread **Thread Size:** 0.750 inches nut thread Stud End Shank Length: 0.130 inches **Stud End Shank Diameter:** 2.300 inches **Nut End Shank Diameter:** 1.500 inches **Special Features:** Stud end bored 2.150 in. Diameter at end, taperred inwards; 2 wrenching features, 0.250 in. Wd, 180 degrees apart on studend; wrenching flat 1.300 in. Wd on nutend shank Material: Steel comp xm-13 **Material Specification:** Ams 5629 assn standard single material response **Surface Treatment: Passivate Style Designator:** Shouldered and stepped **Thread Series Designator:** Unjf nut thread Shelf Life:

--

N/a

**Unit Of Measure:** 

## NSN 5307-01-315-3227

Shouldered And Stepped Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0