NSN 5307-01-315-4932

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-315-4932 **Thread Class:** 3a nut thread **Thread Direction:** Right-hand stud thread Thread Length: 0.673 inches nut thread and 0.693 inches nut thread **Locking Feature:** Ring, lock serrated **Overall Length:** 1.735 inches **Distance From Serrated Portion To Nut End:** Between 0.860 inches and 0.890 inches **Distance From Serrated Portion To Stud End:** Between 0.735 inches and 0.765 inches **Distance From Serrated Portion To End Of Stud Thread:** 0.125 inches Thready Qty Per Inch (tpi): 24 nut thread **Hardness Rating:** 277.0 brinell hultgren **Thread Size:** 0.438 inches stud thread Surface Finish: 63.0 microinches **Special Features:** 140000p.S.I. Min. Tensile strength Material: Iron alloy 660 **Material Specification:** Ams 5731 assn standard single material response or ams 5734 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Astm a380 assn standard single treatment response **Style Designator:** Locked in **Thread Series Designator:** Unjf nut thread Shelf Life: N/a

Unit Of Measure:

NSN 5307-01-315-4932

Locked In Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0