## NSN 5307-01-329-8263



| Shouldered Stud - Page 1 of 2  |
|--|
| View Online at https://aerobasegroup.com/nsn/5307-01-329-8263                                      |
| Thread Class:  |
| 3a stud thread   |
| Thread Direction:  |
| Right-hand nut thread  |
| Thread Length:   |
| 0.312 inches nut thread  |
| Shoulder Diameter:   |
| Between 0.475 inches and 0.505 inches  |
| Shoulder Length:   |
| Between 0.102 inches and 0.112 inches  |
| Overall Length:  |
| 1.669 inches   |
| Nut End Shank Length:  |
| Between 0.245 inches and 0.255 inches  |
| Thready Qty Per Inch (tpi):  |
| 24 stud thread   |
| Thread Size:   |
| 0.312 inches stud thread   |
| Stud End Shank Length:   |
| Between 0.245 inches and 0.255 inches  |
| Stud End Shank Diameter:   |
| Between 0.3110 inches and 0.3120 inches  |
| Surface Finish:  |
| 32.0 microinches shank   |
| Nut End Shank Diameter:  |
| Between 0.3110 inches and 0.3120 inches  |
| Special Features:  |
| Furnished with double hex point drive on nut end and stud end                                      |
| Material:  |
| Titanium alloy uns r56400  |
| Material Specification:  |
| Ams 4928 assn standard single material response or ams 4967 assn standard single material response |
| Surface Treatment:   |
| Aluminum   |
| Style Designator:  |
| Shouldered   |
| Thread Series Designator:  |
| Unjf stud thread   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
|  |

## NSN 5307-01-329-8263

Shouldered Stud - Page 2 of 2

Demilitarization:

No

Fiig:

A051a0

