## NSN 5307-01-347-2130

Locked In Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-01-347-2130
Thread Class:
3a nut thread3a stud thread
Thread Direction:
Right-hand nut threadright-hand stud thread
Thread Length:
$0.427 \ \text{inches} \ \ \text{nut thread and } 0.447 \ \text{inches} \ \ \text{nut thread} \\ 0.297 \ \text{inches} \ \ \text{stud thread} \\ \text{and } 0.327 \ \text{inches} \ \ \text{stud thread} \\$
Locking Feature:
Ring, lock keyed
Overall Length:
Between 1.172 inches and 1.202 inches
Thready Qty Per Inch (tpi):
32 nut thread28 stud thread
Thread Size:
0.190 inches nut thread0.250 inches stud thread
Distance From End Of Stud End Threads To Nut End:
0.875 inches
Special Features:
160000 psi min tensile strength
Material:
Steel comp 410 or steel comp 420 or iron alloy 660
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Locked in
Thread Series Designator:
Unjf nut threadunjf stud thread
Specification Data:
80205-nas1860 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig:

A051a0