## NSN 5307-01-371-3676



Locked In Stud - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5307-01-371-3676 **Thread Class:** 3a nut thread **Thread Pitch Diameters:** +0.3926/+0.3946 inches stud thread **Thread Direction:** Right-hand nut threadright-hand stud thread Thread Length: 0.620 inches nut thread0.520 inches stud thread **Locking Feature:** Ring, lock serrated **Overall Length:** Between 2.235 inches and 2.265 inches **Distance From Serrated Portion To Nut End:** Between 1.173 inches and 1.203 inches **Distance From Serrated Portion To Stud End:** 1.062 inches **Distance From Serrated Portion To End Of Stud Thread:** 0.230 inches Thready Qty Per Inch (tpi): 24 nut thread14 stud thread **Thread Size:** 0.375 inches nut thread0.438 inches stud thread Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416 type 2 cl 3 federal specification all treatment responses **Style Designator:** Locked in **Thread Series Designator:** Unf nut threaduns stud thread Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A051a0

## NSN 5307-01-371-3676

Locked In Stud - Page 2 of 2



Mil-std (military Standard):

Mil-s-6758 spec.