NSN 5307-01-383-6145

Plain Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-383-6145 **Thread Class:** 3a nut thread **Thread Pitch Diameters:** +0.2308/+0.2323 inches stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.788 inches stud thread **Overall Length:** 1.250 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 0.110 inches first hole **Cotter Pin Hole Diameter:** 0.065 inches first hole and 0.072 inches first hole Thready Qty Per Inch (tpi): 28 nut thread **Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.250 inches stud thread **Criticality Code Justification:** Thsd Surface Finish: 63.0 microinches shank **Special Features:** Stud thread is safety critical; unified form special per fed-std-h28/2. Apply one coat of mil-p-23377, type 1, cl 1 or 3 and two top coats of mil-c-46168, color code 33538 per fed-std-595 to top of nut end Material: Steel comp 8740 **Material Specification:** Ams 6322 assn standard single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Ams 2400 assn standard single treatment response **Thread Series Designator:** Uns stud thread Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5307-01-383-6145

Plain Stud - Page 2 of 2



Fiig:

A051a0