## NSN 5307-01-391-2092

Shouldered Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-01-391-2092

View Online at https://aerobasegroup.com/nsn/5307-01-391-2092	
Thread Class:	
3a stud thread	
Thread Direction:	
Right-hand stud thread	
Thread Length:	
0.325 inches stud thread	
Shoulder Diameter:	
Between 0.357 inches and 0.377 inches	
Shoulder Length:	
Between 0.064 inches and 0.074 inches	
Dverall Length:	
1.094 inches	
Nut End Shank Length:	
Between 0.120 inches and 0.130 inches	
Thready Qty Per Inch (tpi):	
32 stud thread	
Thread Size:	
0.190 inches stud thread	
Stud End Shank Length:	
Between 0.245 inches and 0.255 inches	
Stud End Shank Diameter:	
Between 0.1890 inches and 0.1895 inches	
Nut End Shank Diameter:	
Between 0.1890 inches and 0.1895 inches	
Special Features:	
Double hex point drive, protruding tension head, 160 ksi ftu	
Material:	
Fitanium alloy uns r56400	
Material Specification:	
Ams4928 assn standard single material response or ams4967 assn standard single material	response
Style Designator:	·
Shouldered	
Thread Series Designator:	
Unf stud thread	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
 No	
Fiig:	

A051a0