

View Online at https://aerobasegroup.com/nsn/5307-01-398-0334

NSN 5307-01-398-0334 Locked In Stud - Page 1 of 2 **Thread Class:** 3a nut thread b **Thread Direction:** Right-hand nut thread b **Thread Length:** 0.579 inches nut thread a and 0.609 inches nut thread a Locking Feature: Ring, lock serrated **Overall Length:** 1.361 inches **Distance From Serrated Portion To Nut End:** Between 0.673 inches and 0.709 inches **Distance From Serrated Portion To Stud End:** Between 0.653 inches and 0.693 inches **Distance From Serrated Portion To End Of Stud Thread:** Between 0.127 inches and 0.157 inches Serration Quantity: 17 Thready Qty Per Inch (tpi): 24 nut thread a Hardness Rating: 277.0 brinell hultgren Thread Size: 0.375 inches nut thread b Surface Finish: 63.0 microinches shank Serration Included Angle: 86.0 degrees Material: Iron alloy 660 **Material Specification:** Ams5731 assn standard single material response or ams5734 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response **Style Designator:** Locked in **Thread Series Designator:**

Unjf nut thread b

Shelf Life:

N/a

NSN 5307-01-398-0334

Locked In Stud - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A051a0

