## NSN 5307-01-521-1813

Shouldered Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-521-1813

View Online at https://aerobasegroup.com/nsn/5307-01-521-1813
Thread Class:
3a stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.325 inches stud thread
Shoulder Diameter:
Between 0.357 inches and 0.377 inches
Shoulder Length:
Between 0.064 inches and 0.074 inches
Overall Length:
Between 1.391 inches and 1.421 inches
Nut End Shank Length:
Between 0.182 inches and 0.192 inches
End Application:
F-18 e/f aircraft
Thready Qty Per Inch (tpi):
32 stud thread
Thread Size:
0.190 inches stud thread
Criticality Code Justification:
Agav
Stud End Shank Length:
Between 0.495 inches and 0.505 inches
Stud End Shank Diameter:
Between 0.188 inches and 0.189 inches
Nut End Shank Diameter:
Between 0.188 inches and 0.189 inches
Product Name:
Pin-rivet, threaded-shear, protruding head, hex point drive, titanium alloy
Special Features:
Lubricant cetyl alcohol
Material:
Titanium alloy uns r54520
Material Specification:
Ams 4928 assn standard single material response or ams 4967 assn standard single material response
Style Designator:
Shouldered
Thread Series Designator:
Unjf nut thread
Shelf Life:

N/a

## NSN 5307-01-521-1813

Shouldered Stud - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A051a0