Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-01-540-8719

## Thread Class:

3a nut thread

## **Thread Direction:**

Right-hand stud thread

## Thread Length:

0.750 inches nut thread

## Locking Feature:

Ring, lock serrated

#### **Overall Length:**

1.815 inches

## **Distance From Serrated Portion To Nut End:**

## 1.125 inches

Distance From Serrated Portion To Stud End:

## 0.690 inches

## Distance From Serrated Portion To End Of Stud Thread:

0.080 inches

## **End Application:**

1615-01-158-9679

## **Furnished Items And Quantity:**

Mating lockring not included 1

## Thready Qty Per Inch (tpi):

24 nut thread

## Thread Size:

0.375 inches stud thread

## **Product Name:**

Stud, ringlocked

## **Special Features:**

Heat treat: 160-180 ksi ultimate tensile strength; machine surfaces shall be 125 microinches in accordance w/ansi b46.1 except for serrated collar

## Material:

Steel comp 4140 or steel comp 4340

## **Material Specification:**

Ams 6415 assn standard 1st material response or ams 6484 assn standard 2nd material response or ams 6382 assn standard 3rd material

response

## Surface Treatment:

Cadmium

## Surface Treatment Specification:

Qq-p-416, ty ii, cl 3 federal specification single treatment response

#### Style Designator:

Locked in

## **Thread Series Designator:**

Unjf nut thread

## Shelf Life:

N/a

# NSN 5307-01-540-8719

Locked In Stud - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A051a0

