NSN 5307-01-546-9954



Shouldered Stud - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5307-01-546-9954 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.325 inches stud thread Shoulder Diameter: Between 0.357 inches and 0.377 inches **Shoulder Length:** Between 0.064 inches and 0.074 inches **Overall Length:** 1.719 inches **Nut End Shank Length:** Between 0.120 inches and 0.130 inches **End Application:** B-2 radar system Thready Qty Per Inch (tpi): 32 stud thread **Thread Size:** 0.190 inches stud thread Stud End Shank Length: Between 0.245 inches and 0.255 inches **Stud End Shank Diameter:** Between 0.1890 inches and 0.1895 inches **Nut End Shank Diameter:** Between 0.1890 inches and 0.1895 inches **Product Name:** Stud, shouldered **Special Features:** Double hex point drive, protrudingtension head, 160 ksi ftu Material: Titanium alloy uns r56400 **Material Specification:**

Ams4928 assn standard single material response or ams4967 assn standard single material response

Style Designator:

Shouldered

Thread Series Designator:

Unf stud thread

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5307-01-546-9954

Shouldered Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0