

View Online at <https://aerobasegroup.com/nsn/5310-00-019-6644>

Thread Class:

3b

Thread Direction:

Right-hand

Flange Thickness:

0.136 inches

Drive Point Depth:

0.188 inches

Nut Style:

Round

Nut Diameter:

1.500 inches

Nut Thickness:

0.281 inches

Drive Point Width:

0.188 inches

Undercut Thickness:

0.100 inches

Drive Point Quantity:

8

Drilled Hole Diameter:

0.067 inches

Hole Type And Quantity:

1 drilled

Thread Series:

Uns

Thready Qty Per Inch (tpi):

18

Hardness Rating:

Between 26.0 rockwell c and 33.0 rockwell c

Thread Size:

1.173 inches

Hole Configuration Style:

Configuration f

Countersink Angle:

90.0 degrees nut

Material:

Steel comp 4130

Material Specification:

Mil-s-6758, cond d military specification single material response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Ss8416, fscm 78286 mfr ref single treatment response

Test Data Document:

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-6758 spec.