

View Online at <https://aerobasegroup.com/nsn/5310-00-043-1939>

Thread Pitch Diameters:

+5.0519/+5.0602 inches

Thread Direction:

Right-hand

Drive Point Depth:

Between 0.240 inches and 0.260 inches

Nut Style:

Round

Nut Diameter:

Between 6.730 inches and 6.760 inches

Nut Thickness:

Between 0.860 inches and 0.885 inches

Drive Point Width:

Between 0.610 inches and 0.635 inches

Drive Point Quantity:

4

Thread Series:

Uns

Thready Qty Per Inch (tpi):

12

Hardness Rating:

Between 66.0 rockwell b and 92.0 rockwell b

Thread Size:

5.106 inches

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1524 or steel comp 1026 or steel comp 1527 or steel comp 1029 or steel comp 1030 or steel comp 1033 or steel comp 1034 or steel comp 1035

Material Specification:

66 federal standard all material responses

Surface Treatment:

Cadmium and zinc

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification 1st treatment response and qq-z-325, type 2, cl 3 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0