

View Online at <https://aerobasegroup.com/nsn/5310-00-058-1823>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Washer Outside Diameter:

0.167 inches

Lubrication:

Soluble lubricant

Overall Height:

Between 0.080 inches and 0.100 inches

Nut Style:

Hexagon

Washer Thickness:

0.010 inches

End Application:

W/s: support equipment, b-1 aircraft; test set, arm-155/156; test consoles, mini-sace; trainer, b-1b aircraft; engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p); missile, advance medium range air-to-air (amraam)/aim120a; fire control system, missile mk 74 (fcs); aircraft, (ac-130h, mc-130h, ec-130e, hc-130s; guided missile launching system, mk 26 (gmls); intermediate forward test equipment (ifte) system

Width Across Flats:

Between 0.122 inches and 0.127 inches

Tempurature Rating:

450.0 degrees fahrenheit

Thread Series:

Unjc

Thready Qty Per Inch (tpi):

56

Hardness Rating:

49.0 rockwell c

Thread Size:

0.086 inches

Material:

Steel

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0