## NSN 5310-00-062-7184

Round Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-062-7184

3b3bThread Direction:Right-handNut Style:RoundNut Diameter:Between 0.305 inches and 0.315 inchesNut Thickness:Between 0.290 inches and 0.310 inchesThread Series:UnfThread Series:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:No	Thread Class:
Thread Direction:Right-handNut Style:RoundNut Diameter:Between 0.305 inches and 0.315 inchesNut Thickness:Between 0.290 inches and 0.310 inchesThread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:	
Right-hand Nut Style: Round Nut Diameter: Between 0.305 inches and 0.315 inches Mut Thickness: Between 0.290 inches and 0.310 inches Thread Series: Unf Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:	
Nut Style:RoundNut Diameter:Between 0.305 inches and 0.315 inchesMut Thickness:Between 0.290 inches and 0.310 inchesThread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:	
Round Nut Diameter: Between 0.305 inches and 0.315 inches Mut Thickness: Between 0.290 inches and 0.310 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: Steel comp 410 MaterialSpecification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:	-
Nut Diameter:Between 0.305 inches and 0.315 inchesNut Thickness:Between 0.290 inches and 0.310 inchesThread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:	-
Between 0.305 inches and 0.315 inches Nut Thickness: Between 0.290 inches and 0.310 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:	
Nut Thickness:Between 0.290 inches and 0.310 inchesFhread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:	
Between 0.290 inches and 0.310 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:	
Thread Series:UnfThready Qty Per Inch (tpi):3232Thread Size:0.190 inchesMaterial:Steel comp 410Material Specification:Ams 5613 assn standard single material responseSurface Treatment:PassivateShelf Life:N/aUnit Of Measure:Demilitarization:	
Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure: Demilitarization:	
Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
32 Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Thread Size: 0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
0.190 inches Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Material: Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Steel comp 410 Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Material Specification: Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Ams 5613 assn standard single material response Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Surface Treatment: Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Passivate Shelf Life: N/a Unit Of Measure:  Demilitarization:	
Shelf Life: N/a Unit Of Measure:  Demilitarization:	
N/a Unit Of Measure:  Demilitarization:	
Unit Of Measure:  Demilitarization:	
 Demilitarization:	
Demilitarization:	
110	
Fiig:	
A021a0	-