NSN 5310-00-146-8432

Clinch Plain Nut - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5310-00-146-8432

Thread Class:

3b

Thread Direction:

Right-hand

Pilot Diameter:

Between 0.167 inches and 0.170 inches

Pilot Length:

0.177 mils and 0.197 centimeters

Nut Style:

Clinch

Nut Height:

Between 0.235 inches and 0.265 inches

Width Across Flats:

Between 0.365 inches and 0.377 inches

Thread Series:

Unc

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Material:

Copper alloy 268 or copper alloy 260 or copper alloy 240 or copper alloy 230 or copper alloy 342 or copper alloy 353 or copper alloy 262 or copper alloy 270 or copper alloy 272 or copper alloy 274 or copper alloy 280 or copper alloy 330 or copper alloy 331 or copper alloy 332 or copper alloy 335 or copper alloy 340 or copper alloy 344 or copper alloy 345 or copper alloy 347 or copper alloy 348 or copper alloy 350 or copper alloy 356 or copper alloy 360 or copper alloy 370 or copper alloy 377 or copper alloy 462 or copper alloy 464 or copper alloy 465 or copper alloy 466 or copper alloy 467 or copper alloy 482 or copper alloy 485

Material Specification:

Qq-b-613 federal specification 1st material response or qq-b-626 federal specification 1st material response or qq-b-613 federal specification 3rd material response or qq-b-626 federal specification 2nd material response or qq-b-626 federal specification 3rd material response or qq-b-626 federal specification 3rd material response or qq-b-626 federal specification 3rd material response or qq-b-626 federal specification 5th material response or qq-b-613 federal specification 5th material response or qq-b-613 federal specification 6th material response or qq-b-626 federal specification 5th material response or qq-b-613 federal specification 6th material response or qq-b-626 federal specification 5th material response or qq-b-613 federal specification 6th material response or qq-b-613 federal specification 7th material response or qq-b-626 federal specification 7th material response or qq-b-613 federal specification 9th material response or qq-b-613 federal specification 10th material response or qq-b-626 federal specification 10th material response or qq-b-613 federal specification 10th material response or qq-b-613 federal specification 12th material response or qq-b-626 federal specification 12th material response or qq-b-626 federal specification 12th material response or qq-b-613 federal specification 15th material response or qq-b-626 federal specification 15th material response or qq-b-626 federal specification 12th material response or qq-b-626 federal specification 12th material response or qq-b-626 federal specification 15th material response or qq-b-613 federal specification 15th material response or qq-b-626 federal specification 15th material response or qq-b-613 federal specification 15th material response or qq-b-613 federal specification 15th material response or qq-b-613 federal specification 15th material response or qq-b-626 fe

Surface Treatment:

Cadmium

Shelf Life:

N/a

Init Of Mossuro:

