

View Online at <https://aerobasegroup.com/nsn/5310-00-150-3686>

Thread Pitch Diameters:

+4.2709/+4.2792 inches

Thread Direction:

Right-hand

Drive Point Depth:

0.188 inches

Nut Style:

Round

Nut Diameter:

Between 5.703 inches and 5.723 inches

Nut Thickness:

Between 0.766 inches and 0.791 inches

Drive Point Width:

Between 0.485 inches and 0.510 inches

Drive Point Quantity:

4

Thread Series:

Uns

Thready Qty Per Inch (tpi):

12

Hardness Rating:

Between 66.0 rockwell b and 92.0 rockwell b

Thread Size:

4.325 inches

Countersink Angle:

45.0 degrees second end and 60.0 degrees second end

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1524 or steel comp 1025 or steel comp 1026 or steel comp 1527 or steel comp 1029 or steel comp 1030 or steel comp 1035

Material Specification:

66 federal standard all material responses

Surface Treatment:

Cadmium or zinc

Surface Treatment Specification:

Qq-p-416, type 1, class 3 federal specification 1st treatment response or qq-z-325, type 2, class 3 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0