NSN 5310-00-166-0914

Thread Class:

Right-hand **Head Style:**

Thread Direction:

Eliptical countersunk

3b

Blind Rivet Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-166-0914

| Head Height: |
|--|
| 0.040 inches |
| Locking Feature: |
| Prevailing torque all metal design |
| Counterbore Diameter: |
| 0.255 inches nut and 0.258 inches nut |
| Head Major Diameter: |
| Between 0.436 inches and 0.440 inches |
| Head Minor Diameter: |
| Between 0.370 inches and 0.374 inches |
| Nut Style: |
| Blind rivet w/smooth round shank |
| Nut Diameter: |
| Between 0.325 inches and 0.327 inches |
| Nut Length: |
| Between 1.047 inches and 1.077 inches |
| Unable To Decode: |
| +0.160 to 0.220 inches |
| Shank End Type: |
| Closed |
| Tempurature Rating: |
| 450.0 degrees fahrenheit |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 28 |
| Thread Size: |
| 0.250 inches |
| Head Major Countersink Angle: |
| Between 75.45 degrees and 76.15 degrees |
| Head Minor Countersink Angle: |
| Between 59.45 degrees and 60.15 degrees |
| Material: |
| Steel comp 304 or steel comp 305 |
| Material Specification: |
| Qq-s-763, cl 304 federal specification 1st material response or qq-s-763, cl 305, cond a federal specification 2nd material response |
| |

NSN 5310-00-166-0914

Fiig: A021a0

Blind Rivet Self-locking Nut - Page 2 of 2



| Surface Treatment: |
|--|
| Cadmium |
| Surface Treatment Specification: |
| Qq-p-416, type 2, cl 3 federal specification single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |