NSN 5310-00-167-1331

Hexagon Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-167-1331

3bInread Direction:Left-handNut Style:HexagonNut Height:Between 0.125 inches and 0.157 inchesWith Across Flats:Between 0.365 inches and 0.377 inchesThread Series:UnfThread Series:0.1000.10132Thread Size:0.1020 inchesCountersink Angle:110.0 degrees nutBearing Surface Type:Vasher facedBearing Surface Finish:125.0 microinchesMaterial:SteelQu-p-416, type 2, cl 2 federal specification single treatment responseSpecification Or Standard:2 type and a gradeShell Life:N/aLint Of Measure:Tot Station:NaNaShell Life:NaNaStation ContensStation Contens<
Left-hand Left-hand Nut Style: Hexagon Nut Height: Between 0.125 inches and 0.157 inches Width Across Flats: Between 0.365 inches and 0.377 inches Thread Series: Unf Thread Series: Unf Thread Y Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Vasher faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Qu-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Uni Of Measure:
Nut Style: Hexagon Nut Height: Between 0.125 inches and 0.157 inches Width Across Flats: Between 0.365 inches and 0.377 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Thread agrade
HexagonNut Height:Between 0.125 inches and 0.157 inchesWidth Across Flats:Between 0.365 inches and 0.377 inchesThread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesCountersink Angle:110.0 degrees nutBearing Surface Type:Washer facedBearing Surface Finish:125.0 microinchesMaterial:SteelSurface Treatment:CadmiumQu-p-416, type 2, cl 2 federal specification single treatment responseSpecification Or Standard:2 type and a gradeShelf Life:N/aUni Of Measure:
Nut Height:Between 0.125 inches and 0.157 inchesWidth Across Flats:Between 0.365 inches and 0.377 inchesThread Series:UnfThready Qty Per Inch (tpi):32Thread Size:0.190 inchesCountersink Angle:110.0 degrees nutBearing Surface Type:Washer facedBearing Surface Finish:125.0 microinchesMaterial:SteelSurface Treatment:CadmiumSurface Treatment Specification single treatment responseSpecification Or Standard:2 type and a gradeShelf Life:N/aUnit Of Measure:Demilitarization:
Between 0.125 inches and 0.157 inches Width Across Flats: Between 0.365 inches and 0.377 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Vasher faced Bearing Surface Type: Vasher faced Bearing Surface Finish: 125.0 microinches Material: Steel Steel Steel Surface Treatment: Cadmium Surface Treatment Specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Inti Of Measure:
Width Across Flats: Between 0.365 inches and 0.377 inches Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Steel Surface Treatment: Cadmium Surface Treatment: Cadmium Surface Treatment Specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Between 0.365 inches and 0.377 inches Fhread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Steel Surface Treatment: Cadmium Gurface Treatment: Qaq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Thread Series: Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Vasher faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Unf Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
32 Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Thread Size: 0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
0.190 inches Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Countersink Angle: 110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
110.0 degrees nut Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Bearing Surface Type: Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Washer faced Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
Bearing Surface Finish: 125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure:
125.0 microinches Material: Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Material:SteelSurface Treatment:CadmiumSurface Treatment Specification:Qq-p-416, type 2, cl 2 federal specification single treatment responseSpecification Or Standard:2 type and a gradeShelf Life:N/aUnit Of Measure:Demilitarization:
Steel Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Cadmium Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Qq-p-416, type 2, cl 2 federal specification single treatment response Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Specification Or Standard: 2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
2 type and a grade Shelf Life: N/a Unit Of Measure: Demilitarization:
Shelf Life: N/a Unit Of Measure: Demilitarization:
N/a Unit Of Measure: Demilitarization:
Unit Of Measure: Demilitarization:
 Demilitarization:
Demilitarization:
No
Fiig:
A021a0