

View Online at <https://aerobasegroup.com/nsn/5310-00-185-6463>

**Thread Pitch Diameters:**

+1.1189/+1.1369 inches

**Thread Direction:**

Right-hand

**Drive Point Depth:**

0.094 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 1.730 inches and 1.760 inches

**Nut Thickness:**

Between 0.396 inches and 0.416 inches

**Drive Point Width:**

Between 0.178 inches and 0.198 inches

**Drive Point Quantity:**

4

**End Application:**

W/s: missile, air-to-air, sparrow (aim-7); deep submergence systems programs (dssp); fire pumps; I.P. Compressors; support equipment, b-1 aircraft; systems, jp-5 aviation fuels; boilers, 1200 psi; elevators, aircraft; main feed pumps

**Thread Series:**

Uns

**Thready Qty Per Inch (tpi):**

18

**Hardness Rating:**

Between 66.0 rockwell b and 92.0 rockwell b

**Thread Size:**

1.173 inches

**Material:**

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1023 or steel comp 1524 or steel comp 1025 or steel comp 1026 or steel comp 1527 or steel comp 1030 or steel comp 1033 or steel comp 1034 or steel comp 1035

**Material Specification:**

66 federal standard all material responses

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0