

View Online at <https://aerobasegroup.com/nsn/5310-00-193-0555>

Thread Pitch Diameters:

+3.0750/+3.0803 inches

Thread Direction:

Right-hand

Flange Thickness:

0.237 inches

Drive Point Depth:

0.187 inches

Nut Style:

Round

Nut Diameter:

3.656 inches

Nut Thickness:

0.405 inches

Drive Point Width:

0.375 inches

Drive Point Quantity:

8

Drilled Hole Diameter:

0.125 inches

Hole Type And Quantity:

8 drilled

Thread Series:

Buttress

Thready Qty Per Inch (tpi):

12

Hardness Rating:

Between 26.0 rockwell c and 33.0 rockwell c

Thread Size:

3.125 inches

Hole Configuration Style:

Configuration f

Countersink Angle:

90.0 degrees nut

Material:

Steel comp 4130 or steel comp 4340

Material Specification:

Mil-s-6758, cond d military specification 1st material response or mil-s-5000 military specification 2nd material response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Ss-8416, united aircraft corp, sikorsky aircraft div mfr ref single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-6758 spec.