NSN 5310-00-194-3648

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-194-3648

Rectangular Hole Diameter: Between 0.151 inches and 0.164 inches Edge Shape: Round Center Hole Shape: Round Thickness: Between 0.036 inches and 0.065 inches Dverall Diameter: Between 0.370 inches and 0.390 inches Color:
Between 0.151 inches and 0.164 inches Edge Shape: Round Center Hole Shape: Round Thickness: Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Edge Shape: Round Center Hole Shape: Round Thickness: Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Center Hole Shape: Round Thickness: Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Center Hole Shape: Round Thickness: Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Round Thickness: Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Thickness: Between 0.036 inches and 0.065 inches Dverall Diameter: Between 0.370 inches and 0.390 inches Color:
Between 0.036 inches and 0.065 inches Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Overall Diameter: Between 0.370 inches and 0.390 inches Color:
Between 0.370 inches and 0.390 inches Color:
Color:
Black
Material:
Steel comp 301 or steel comp 302 or steel comp 316 or steel comp 301 or steel comp 302 or steel comp 316
Material Specification:
Aisi assn standard 1st material response or aisi assn standard 2nd material response or aisi assn standard 3rd material response or sae
assn standard 4th material response or sae assn standard 5th material response or sae assn standard all material responses
Surface Treatment:
Oxide film
Surface Treatment Specification:
Mil-c-13924, cl 4 military specification single treatment response
Specification Or Standard:
A type and 1 grade and b class
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A022b0
Mil-std (military Standard):
Mil-c-13924 spec.