## NSN 5310-00-208-2704

Plate Self-locking Nut - Page 1 of 2

---



View Online at https://aerobasegroup.com/nsn/5310-00-208-2704

| New Online at https://acrobasegroup.com/nsn/3510-00-200-2704   |
|--|
| Thread Class:  |
| 3b   |
| Thread Direction:  |
| Right-hand   |
| Locking Feature:   |
| Prevailing torque with nonmetallic insert                      |
| Mounting Hole Diameter:  |
| Between 0.098 inches and 0.103 inches                          |
| Nut Style:   |
| Plate  |
| Nut Length:  |
| 0.969 inches   |
| Nut Height:  |
| 0.344 inches   |
| Plate Thickness:   |
| Between 0.065 inches and 0.075 inches                          |
| Plate Width:   |
| 0.438 inches   |
| Nut Mounting Provision:  |
| Straight holes   |
| Mounting Hole Arrangement Style:                               |
| 2 holes  |
| Distance From Aperture Center To Mounting Hole Center:         |
| Between 0.339 inches and 0.349 inches                          |
| Center To Center Distance Between Mounting Holes Along Length: |
| Between 0.686 inches and 0.690 inches                          |
| Tempurature Rating:  |
| 250.0 degrees fahrenheit                                       |
| Thread Series:   |
| Unf  |
| Thready Qty Per Inch (tpi):                                    |
| 32   |
| Thread Size:   |
| 0.190 inches   |
| Countersink Angle:   |
| 100.0 degrees nut  |
| Material:  |
| Stainless steel nut  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |

## NSN 5310-00-208-2704

Plate Self-locking Nut - Page 2 of 2

Demilitarization:

No

Fiig:

A021a0

