

View Online at <https://aerobasegroup.com/nsn/5310-00-208-4177>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque with nonmetallic insert

Counterbore Diameter:

0.383 inches nut and 0.388 inches nut

Mounting Hole Diameter:

Between 0.130 inches and 0.135 inches

Nut Style:

Plate

Nut Length:

Between 1.516 inches and 1.546 inches

Nut Height:

Between 0.751 inches and 0.781 inches

Plate Thickness:

Between 0.045 inches and 0.075 inches

Plate Width:

Between 0.923 inches and 0.953 inches

Nut Counterbore Depth:

0.292 inches nut and 0.302 inches nut

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.610 inches and 0.640 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 1.248 inches and 1.252 inches

Thread Series:

Unf

Thready Qty Per Inch (tpi):

24

Thread Size:

0.375 inches

Countersink Angle:

100.0 degrees nut

Material:

Steel comp 1212 nut

Material Specification:

Ams 5010 assn standard single material response nut

Surface Treatment:

Cadmium nut

Surface Treatment Specification:

Qq-p-416, type 1 cl 3 federal specification single treatment response nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0