## NSN 5310-00-228-2054

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-228-2054

| Rectangular Hole Diameter: 0.328 inches Edge Shape: Round Center Hole Shape: Round Center Hole Shape: Round Thickness: 0.063 inches Overall Diameter: 0.438 inches Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018 Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018 Material Specification: Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3nd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 6th material response and qq-s-698 t1 or t2 federal specification 7th material response Surface Treatment: Cadmium Shelf Life: N/a Unit Of Measure:  |  |
|--|--|
| Hole Diameter: 0.328 inches Edge Shape: Round Center Hole Shape: Round Thickness: 0.063 inches Overall Diameter: 0.438 inches Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018 Material Specification: Mil-s-7952 militrary specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and qq-s-698 t1 or t2 federal specification 1st material response and qq-s-698 t1 or t2 federal specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response and qq-s-698 t1 or t2 federal specification 7th material response Surface Treatment: Cadmium Sheff Life: N/a Unit Of Measure:  | Cross Sectional Shape:   |
| 0.328 inches  Edge Shape: Round  Center Hole Shape: Round  Thickness: 0.063 inches  Overall Diameter: 0.438 inches  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification: Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment: Cadmium  Shelf Life: N/a  Unit Of Measure:  Demilitarization: No  Flig: A02250  Mil-setd (military Standard):   | Rectangular  |
| Edge Shape: Round  Center Hole Shape: Round  Thickness: 0.063 inches  Overall Diameter: 0.043 inches  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment: Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Filig:  A02250  Mil-std (military Standard): | Hole Diameter:   |
| Round  Center Hole Shape: Round  Thickness: 0.063 inches  Overall Diameter: 0.438 inches  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification: Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 1st material response and qq-s-698 t1 or t2 federal specification 7st material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7st material response and qq-s-698 t1 or t2 federal specification 7st material response  Surface Treatment: Cadmium  Shelf Life:  Wa  Unit Of Measure:  Demilitarization: No  Fiig: A022b0  Mil-std (military Standard):   | 0.328 inches   |
| Center Hole Shape: Round Thickness: 0.063 inches Overall Diameter: 0.438 inches Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018 Material Specification: Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 6th material response and qq-s-698 t1 or t2 federal specification 7th material response Surface Treatment: Cadmium Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: A022b0 Mil-std (military Standard):  | Edge Shape:  |
| Round Thickness: 0.063 inches Overall Diameter: 0.438 inches Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018 Material Specification: Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response Surface Treatment: Cadmilum Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: A022b0 Mil-std (military Standard):   | Round  |
| Thickness:  .0.063 inches  Overall Diameter:  .0.438 inches  Material:  Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Flig:  A022b0  Mil-std (military Standard):  | Center Hole Shape:   |
| Overall Diameter:  0.438 inches  Material: Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 6th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A02250  Mil-std (military Standard):   | Round  |
| Overall Diameter:  0.438 inches  Material:  Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):  | Thickness:   |
| Material:  Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):   | 0.063 inches   |
| Material:  Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):  | Overall Diameter:  |
| Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018  Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):   | 0.438 inches   |
| Material Specification:  Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):   | Material:  |
| Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):  | Steel comp 1020 or steel comp 1025 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1015 or steel comp 1018                |
| specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):   | Material Specification:  |
| specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):  | Mil-s-7952 military specification 1st material response or qq-s-698 t1 or t2 federal specification 1st material response and mil-s-7952 military |
| specification 6th material response and qq-s-698 t1 or t2 federal specification 7th material response  Surface Treatment:  Cadmium  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig:  A022b0  Mil-std (military Standard):  | specification 2nd material response and qq-s-698 t1 or t2 federal specification 3rd material response and qq-s-698 t1 or t2 federal              |
| Surface Treatment: Cadmium Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):   | specification 4th material response and qq-s-698 t1 or t2 federal specification 5th material response and qq-s-698 t1 or t2 federal              |
| Cadmium Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):  | specification 6th material response and qq-s-698 t1 or t2 federal specification 7th material response  |
| Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):  | Surface Treatment:   |
| N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):  | Cadmium  |
| Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):  | Shelf Life:  |
| Demilitarization:  No Fiig: A022b0 Mil-std (military Standard):  | N/a  |
| No<br>Fiig:<br>A022b0<br>Mil-std (military Standard):  | Unit Of Measure:   |
| No<br>Fiig:<br>A022b0<br>Mil-std (military Standard):  |  |
| Fiig: A022b0 Mil-std (military Standard):  | Demilitarization:  |
| A022b0  Mil-std (military Standard):   | No   |
| Mil-std (military Standard):   | Fiig:  |
|  | A022b0   |
| Mil-s-7952 spec.   | Mil-std (military Standard):   |
|  | Mil-s-7952 spec.   |