

View Online at <https://aerobasegroup.com/nsn/5310-00-245-8825>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque with nonmetallic insert

Nut Style:

Hexagon

Nut Height:

Between 0.266 inches and 0.296 inches

End Application:

5895-01-514-7015, communications interface system (cis) (v) 2; rg-33 mrp

Width Across Flats:

Between 0.492 inches and 0.502 inches

Tempurature Rating:

250.0 degrees fahrenheit

Thread Series:

Unc

Thready Qty Per Inch (tpi):

20

Thread Size:

0.250 inches

Countersink Angle:

88.0 degrees nut

Bearing Surface Type:

Chamfered

Product Name:

Nut, self-locking, hexagon - thin, unc 3b (non-metallic insert) austenitic corrosion resistant steel, nonmagnetic, 250 degrees fahr

Material:

Steel except insert

Material Specification:

Mil-m-20693, comp a, type 1 military specification single material response locking insert

Surface Treatment:

Passivate nut

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response nut

Specification Data:

80205 - nas-16228. Sep 1999 professional/industrial association specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0

Mil-std (military Standard):

Mil-m-20693 spec.