

View Online at <https://aerobasegroup.com/nsn/5310-00-275-4325>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Counterbore Diameter:**

0.602 inches nut and 0.634 inches nut

**Mounting Hole Diameter:**

Between 0.130 inches and 0.135 inches

**Nut Style:**

Plate

**Nut Length:**

Between 1.265 inches and 1.297 inches

**Nut Height:**

Between 0.515 inches and 0.547 inches

**Plate Thickness:**

Between 0.031 inches and 0.063 inches

**Plate Width:**

Between 0.734 inches and 0.766 inches

**Nut Mounting Provision:**

Straight holes

**Mounting Hole Arrangement Style:**

2 holes

**Distance From Aperture Center To Mounting Hole Center:**

Between 0.484 inches and 0.516 inches

**Center To Center Distance Between Mounting Holes Along Length:**

Between 0.995 inches and 1.005 inches

**End Application:**

Spec item

**Temperature Rating:**

250.0 degrees fahrenheit

**Thread Series:**

Unf

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.312 inches

**Countersink Angle:**

82.0 degrees nut

**Material:**

Steel comp 1020

**Material Specification:**

Mil-s-7952 military specification single material response

**Surface Treatment:**

Cadmium or zinc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A021a0

**Mil-std (military Standard):**

Mil-s-7952 spec.