NSN 5310-00-275-9376

Hexagon Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-275-9376

Thread Class:
3b
Thread Direction:
Right-hand
Nut Style:
Hexagon
Nut Height:
Between 0.427 inches and 0.448 inches
Width Across Flats:
Between 0.736 inches and 0.750 inches
Thread Series:
Unc
Thready Qty Per Inch (tpi):
8
Thread Size:
3.000 inches
Bearing Surface Type:
Flat
Material:
Steel comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316 or steel comp 347
Material Specification:
Material Specification: Qq-s-763 federal specification all material responses
Qq-s-763 federal specification all material responses
Qq-s-763 federal specification all material responses Surface Treatment:
Qq-s-763 federal specification all material responses Surface Treatment: Passivate
Qq-s-763 federal specification all material responses Surface Treatment: Passivate Surface Treatment Specification:
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment response
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 style
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/a
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/a
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/aUnit Of Measure:Demilitarization:No
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/aUnit Of Measure:-Demilitarization:NoFig:
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/aUnit Of Measure:Demilitarization:No
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/aUnit Of Measure:-Demilitarization:NoFig:
Qq-s-763 federal specification all material responsesSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseSpecification Or Standard:B group and 3 type and 1 styleShelf Life:N/aUnit Of Measure:-Demilitarization:NoFig: