NSN 5310-00-279-9070

Plate Self-locking Nut - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5310-00-279-9070



| Thread Class: |
|--|
| 3b |
| Thread Direction: |
| |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Mounting Hole Diameter: 0.143 mils and 0.148 centimeters |
| |
| Nut Length: |
| 0.968 inches |
| Plate Thickness: |
| 0.018 inches |
| Plate Width: |
| 0.568 inches |
| Nut Mounting Provision: |
| Straight holes |
| Mounting Hole Arrangement Style: |
| 2 holes |
| Distance From Aperture Center To Mounting Hole Center: |
| Between 0.339 inches and 0.349 inches |
| Center To Center Distance Between Mounting Holes Along Length: |
| Between 0.686 inches and 0.690 inches |
| Thread Series: |
| Unjf |
| Features Provided: |
| Floating nut |
| Thready Qty Per Inch (tpi): |
| 32 |
| Thread Size: |
| 0.190 inches |
| Material: |
| Titanium alloy base |
| Material Specification: |
| Aisi assn standard single material response shell |
| Surface Treatment: |
| Passivate shell |
| Surface Treatment Specification: |
| Ams 2410 assn standard single treatment response nut |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5310-00-279-9070

Plate Self-locking Nut - Page 2 of 2

Demilitarization:

No

Fiig:

A021a0

