NSN 5310-00-279-9184

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-00-279-9184

| Thread Class: |
|--|
| |
| 3b Thread Direction |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| |
| Dry film lubricant |
| Mounting Hole Diameter: Between 0.130 inches and 0.135 inches |
| |
| Nut Style: Plate |
| |
| Nut Length: 1.130 inches |
| |
| Distance From Base To Center Of Aperture: 0.281 inches |
| |
| Nut Height: 0.200 inches |
| Plate Thickness: |
| Between 0.032 inches and 0.037 inches |
| Plate Width: |
| 1.038 inches |
| Nut Mounting Provision: |
| Straight holes |
| Mounting Hole Arrangement Style: |
| 2 holes |
| Distance From Mounting Hole Center To Base: |
| 0.850 inches |
| Center To Center Distance Between Mounting Holes Along Width: |
| Between 0.560 inches and 0.564 inches |
| Thread Series: |
| Unf |
| Thready Qty Per Inch (tpi): |
| 32 |
| Thread Size: |
| 0.190 inches |
| Material: |
| Iron alloy 660 |
| Material Specification: |
| Ams 5525 assn standard single material response or ams 5735 assn standard single material response |
| Surface Treatment: |
| Passivate |
| |

NSN 5310-00-279-9184

Plate Self-locking Nut - Page 2 of 2

Specification Data:

76301-st3-467 manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

