

View Online at <https://aerobasegroup.com/nsn/5310-00-285-9055>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Counterbore Diameter:

0.315 inches nut

Lubrication:

Dry film lubricant

Overall Height:

0.765 inches

Mounting Hole Diameter:

Between 0.098 inches and 0.113 inches

Nut Style:

Plate

Nut Length:

1.296 inches

Nut Height:

Between 0.450 inches and 0.687 inches

Plate Thickness:

Between 0.030 inches and 0.050 inches

Plate Width:

0.658 inches

Nut Counterbore Depth:

0.100 inches nut

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.495 inches and 0.505 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.998 inches and 1.002 inches

Temperature Rating:

Between -65.0 degrees fahrenheit and 225.0 degrees fahrenheit

Thread Series:

Unjf

Features Provided:

Floating nut

Thready Qty Per Inch (tpi):

28

Hardness Rating:

Between 55.0 shore durometer a and 65.0 shore durometer a

Thread Size:

0.250 inches

Material:

Iron alloy 660 nut

Material Specification:

Mil-s-5059 military specification all material responses washer

Surface Treatment:

Passivate washer

Specification Data:

76301-st3-493 manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-r-6855 spec.