NSN 5310-00-382-7592

Double Hexagon Extended Washer Self-locking Nut - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5310-00-382-7592 |
|---|
| Thread Class: |
| 3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Washer Outside Diameter: |
| 0.448 inches |
| Overall Height: |
| 0.411 inches |
| Nut Style: |
| Double hexagon |
| Washer Thickness: |
| 0.065 inches |
| End Application: |
| W/s: engine, aircraft, f100-pw-200 (f-16a/b/c/d); engine, aircraft, f100-pw-220 (f-15c/d/e); engine, aircraft, f100-pw-229 (f15e, f16c/d) |
| aircarft, f-16; aircraft, eagle f-15 |
| Width Across Flats: |
| Between 0.367 inches and 0.376 inches |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 28 |
| Thread Size: |
| 0.250 inches |
| Countersink Angle: |
| 85.0 degrees nut and 95.0 degrees nut |
| Material: |
| Nickel alloy |
| Material Specification: |
| Ams 5709 assn standard single material response |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver |
| Surface Treatment Specification: |
| 410, elastic stop nut corporation mfr ref single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |

No

Demilitarization:

NSN 5310-00-382-7592

Double Hexagon Extended Washer Self-locking Nut - Page 2 of 2



Fiig:

A021a0