

View Online at https://aerobasegroup.com/nsn/5310-00-389-9342

1	hread Class:
3	b
Т	hread Direction:
R	Right-hand
L	ocking Feature:
Ρ	Prevailing torque all metal design
С	Counterbore Diameter:
0	.194 inches nut
L	ubrication:
D	Dry film lubricant
С	Overall Length:
7	2.000 inches
С	Overall Width:
0	.452 inches
N	lut Style:
G	Sang channel, self locking
С	Channel Style:
S	Straight type
A	ssemblyheight:
0	.230 inches
N	lut Spacing:
0	.750 inches
N	lut Counterbore Depth:
0	.070 inches nut
N	lut Quantity:
9	6
т	hread Series:
ι	Injf
F	eatures Provided:
F	loating nut
т	hready Qty Per Inch (tpi):
3	2
т	hread Size:
0	.190 inches
N	laterial:
S	tainless steel nut
N	laterial Specification:
	Qq-a-250/13, t6 federal specification 1st material response channel
	Surface Treatment:
A	nodize channel
	Surface Treatment Specification:

Mil-a-8625 military specification single treatment response channel



Specification Data:

76301-st3-463 manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.