NSN 5310-00-412-9888

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-412-9888

Between 0.162 inches and 0.182 inches Edge Shape: Round Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Hole Diameter: Between 0.162 inches and 0.182 inches Edge Shape: Round Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Between 0.162 inches and 0.182 inches Edge Shape: Round Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Edge Shape: Round Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Round Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Center Hole Shape: Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Round Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Thickness: 0.032 inches Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Overall Diameter: Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response Surface Treatment:	
Between 0.678 inches and 0.698 inches Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Material: Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Steel comp 4130 Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Material Specification: Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Mil-s-18729, cond n military specification single material response or mil-s-6758, cond n military specification single material response mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
mil-t-6736, type 1, cond n military specification single material response Surface Treatment:	
Surface Treatment:	nse or
Codmium	
Cadmium	
Surface Treatment Specification:	
Qq-p-416, type 1, cl 2 federal specification single treatment response	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A022b0	
Mil-std (military Standard):	
Mil-s-18729 spec.	