

View Online at <https://aerobasegroup.com/nsn/5310-00-432-3486>

**Hole Diameter:**

Between 3.031 inches and 3.036 inches

**Outside Diameter:**

3.625 inches

**Recess Diameter:**

Between 3.111 inches and 3.126 inches

**Recess Depth:**

Between 0.040 inches and 0.045 inches

**Material Thickness:**

Between 0.115 inches and 0.120 inches

**Top Recess Diameter:**

Between 3.111 inches and 3.126 inches

**Bottom Recess Angle:**

90.000 degrees

**Top Recess Angle:**

90.000 degrees

**Bottom Recess Diameter:**

Between 3.111 inches and 3.126 inches

**Product Name:**

Navy special project

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-200/11, temper t6 federal specification single material response or qq-a-250/12, temper t6 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2, cl 1 military specification single treatment response

**Style Designator:**

Recessed both sides

**Test Data Document:**

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A022b0

**Mil-std (military Standard):**

Mil-a-8625 spec