NSN 5310-00-441-9773

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-00-441-9773

military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0	Cross Sectional Shape:
Between 0.443 inches and 0.463 inches Edge Shape: Rectangular Center Hole Shape: Round Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qa-6-368-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qa-9-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit of Measure: Demilitarization: No Fig: A02250 Mil-std (military Standard):	Rectangular
Edge Shape: Rectangular Center Hole Shape: Round Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specificat	Hole Diameter:
Rectangular Center Hole Shape: Round Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, ol 3 federal specification single treatment response Shelf Life: N/a Unit of Measure: Demilitarization: No Fitig: A022b0 Mil-std (military Standard):	Between 0.443 inches and 0.463 inches
Center Hole Shape: Round Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material respons	Edge Shape:
Round Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 mili	Rectangular
Thickness: 0.090 inches Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military	Center Hole Shape:
Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd mater	Round
Length: Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: A02250 Mil-std (military Standard):	Thickness:
Between 0.720 inches and 0.780 inches Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A022b0 Mil-std (military Standard):	0.090 inches
Width Across Flats: Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitg: A022b0 Mil-std (military Standard):	Length:
Between 0.720 inches and 0.780 inches Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd mater	Between 0.720 inches and 0.780 inches
Special Features: One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military speci	Width Across Flats:
One edge has 0.090 in. Radius or 45 degrees chamfer optional Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Between 0.720 inches and 0.780 inches
Material: Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Special Features:
Steel or steel comp 1025 or steel comp 1010 Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	One edge has 0.090 in. Radius or 45 degrees chamfer optional
Material Specification: Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd military specification 2n	Material:
Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd	Steel or steel comp 1025 or steel comp 1010
Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Material Specification:
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Qq-s-636-canc federal specification 1st material response and mil-s-7952 military specification 2nd material response and mil-s-7952
Cadmium and chromate Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	military specification 3rd material response
Surface Treatment Specification: Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Surface Treatment:
Qq-p-416, type 2, cl 3 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Cadmium and chromate
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Surface Treatment Specification:
N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Qq-p-416, type 2, cl 3 federal specification single treatment response
Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Shelf Life:
Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	N/a
Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Unit Of Measure:
No Fiig: A022b0 Mil-std (military Standard):	
Fiig: A022b0 Mil-std (military Standard):	Demilitarization:
A022b0 Mil-std (military Standard):	No
Mil-std (military Standard):	Fiig:
	A022b0
Mil-s-7952 spec.	Mil-std (military Standard):
	Mil-s-7952 spec.